

Work Order ID 144499***144499***

Page 1

Tuesday, April 19, 2016 11:10:14 AM

Item ID: D3969-3

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Spring (Basket Lid)

Start Date: 4/22/2016 Start Qty: 20.00

20

Cust Item ID:

Required Date: 5/5/2016 Req'd Qty: 20.00

20

Customer:

Reference:

Approvals: Process Plan: MLS Date: APR 19 2016

Tooling:

Date:

Run Start ***NR1***

QC: _____ Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3969

C

100

0.00

100

Purchasing

Purchasing

Memo

Issue P/O:

32114

Order as per Dwg D3969

Possible supplier: LS Technologies

part#: SSA4/8-122-310-360N

Material release note is required

0.00

20APR 21 2016DAS
13
9-89

110

Receive & Inspect for Damage & Mat'l Certs

0.00

110

Packaging

Packaging

Memo

***Measure compression only at
5mm on gas spring***

0.40

20x 80/6-05-11

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Work Order ID 144499

144499

Page 2

Tuesday, April 19, 2016 11:10:14 AM

Item ID: D3969-3 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Spring (Basket Lid)
 Start Date: 4/22/2016 Start Qty: 20.00 *20* Cust Item ID:
 Required Date: 5/5/2016 Req'd Qty: 20.00 *20* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC6- Inspect dimensions to drawing	0.00							DAS 38
120						(20)			9-89 JUN 02 2016
QC	Memo	0.00							
Quality Control	***Measure compression only at 5mm on gas spring***								
130	Identify as per dwg & Stock Location: J365	0.00							
130						20		JUN 02 2016	
Packaging	Memo	0.20							
Packaging									8-89 JUN 02 2016
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	2.00							
Quality Control									

ML5 JUN 02 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____							
Misidentified ☐	☐ Past Due								

Picklist Print

Tuesday, April 19, 2016 11:10:17 AM

Page 1

Work Order ID: 144499

144499

Parent Item: D3969-3

D3969-3

Parent Item Name: Spring (Basket Lid)

Start Date: 4/22/2016

Required Date: 5/5/2016

Start Qty: 20.00

Required Qty: 20.00

Comments: IPP RevA: new issue DD 09.11.30 verified by:EC
per revC DD 10.03.16 verified by:EC

IPP Rev:B as

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

SSA4/8-122-310-360N

Purchased

No

110

Each

10.0000

1

20

SSA4/8-122-310-360N

20x 8016-0511

Gas Spring

Location

Loc Qty

Loc Code

ST

10

143820

10

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		☐ OTHER : _____							

SPECIFICATION CONTROL DRAWING



D3969-X SPRING

DART PART NUMBER	STROKE (mm/in)	EXTENDED LENGTH (mm/in)	SHAFT DIA (mm/in)	FORCE (N/lbs)	END FITTING TYPE	END FITTING DIA (in)	CASING MATERIAL	PREFERRED SUPPLIER	SUPPLIER PART NUMBER	WEIGHT APPROX
D3969-1	120/4.70	315/12.40	6/0.24	310/69.7	BLADE	0.257	STAINLESS STEEL	LS TECHNOLOGIES	SSA4/6-122-315-310N	0.27 lbs
D3969-3	120/4.70	315/12.40	8/0.31	360/80.9	BLADE	0.257	STAINLESS STEEL	LS TECHNOLOGIES	SSA4/8-122-310-360N	0.32 lbs
D3969-5	120/4.70	315/12.40	6/0.24	133/29.7	BLADE	0.257	STAINLESS STEEL	LS TECHNOLOGIES	SSA4/6-122-315-133N	0.27 lbs

NOTES:

- 1) MATERIAL: SEE CHART
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3969-X" AND B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: SEE CHART
- 8) CRIMP END FITTING AT APPROXIMATE LOCATION SHOWN, PER MANUFACTURERS REQUIREMENTS

TOP COPY
RETURN TO
DRAWING
CONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 144 495 MW
16-04-19

RELEASED
2010-03-12
MD

C	REDRAWN IN SW. ADDED -3 & -5: ADDED SHAFT DIA COLUMN TO CHART. FORCE FOR -1 CORRECTED (WAS 60.0 lbs).	JPH	10.03.04
B	DRAWING RENAMED WAS: GAS SPRING (BASKET LID). NOTE 8 ADDED.	AJS	09.11.10
A	NEW ISSUE	AJS	09.07.27
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	JP	DRAWING NO.	REV. C
MFG. APPR.	N/A	D3969	SHEET 1 OF 1
APPROVED	MD	TITLE	SCALE
DE APPR.	MD	BASKET LID SPRING	NTS
DATE	10.03.04	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO32114

Purchase Order Date 4/20/2016 3:24:09 PM
PO Print Date 4/20/2016

Page Number 1 of 1

Order From :
LS TECHNOLOGIES INC.
314 JESSOP AVE
SASKATOON, SK S7N 1Y6
CA

VC-LST0001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

APR 21 2016

Contact Name
Vendor Phone 306 683 5000

Ship To Contact
Ship To Phone
Ship Via: FedEx Overnight collect
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB EXW - (Ex Works)

E-MAILED

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	SSA4/8-122-310-360N	Gas Spring	4/22/2016 Yes 4/22/2016		20.00 Each	\$65.00	\$1,300.00

AS PER DWG D3969 REV. C
B144499

Line Total: \$1,300.00

2	71401-45	PROCUREMENT QUALITY CLAUSES	4/22/2016 No 4/22/2016		1.00	\$0.00	\$0.00
Procurement Quality Clauses A004 faa-pma/tso A005 right of entry A016 personnel qualification A025 certification of conformance A040 notification of quality escape A043 retention of quality documents							

Line Total: \$0.00

PO Total: \$1,300.00

PO Instructions: Fedex Acc#151793240

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 4/20/2016

LS Technologies Inc
314 Jessop Ave
Saskatoon, SK S7N 1Y6

Packing Slip


Ph: 306-683-5000 Fax: 306-683-6403

P.O. No.	Date	Invoice #
32114	5/10/2016	14807

Bill to:
Dart Aerospace Ltd 1270 Aberdeen St. Hawkesbury, ON K6A 1K7

Ship to:
Main Finished Goods Location Dart Aerospace Ltd 1270 Aberdeen St. Hawkesbury, ON K6A 1K7

Ship	Via	FOB
5/10/2016	Fed-Ex	

Qty	Description
20	D3969-3 B144499 Stainless Gas Spring (SSA4/8-122-310-360N) LABELLED WITH PERMANT INK MARKER ONLY - NO LABELS Shipping Via FED EX Tracking # 

Order checked by :





LS Technologies Inc

314 Jessop Ave

Saskatoon, SK, S7N 1Y6

Ph: (306) 683-5000 Fax: (306) 683-6403

Certificate of Conformance

May 09, 2016

This is to certify that the parts listed below meets specifications as required by your order.

20 Units : D3969-3 B144499 Stainless Gas Spring (SSA4/8-122-310-360N)

Country of Manufacture : Canada

Date of Manufacture : May 2016

This product is ROHS compliant.

Purchase Order # 32114

Inv# 14807

L S Technologies Inc Canada

A handwritten signature in black ink, appearing to be 'Nolan Fehr', written over a horizontal line.

**Nolan Fehr
President**